



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

ADAIR

[County Base Map](#)

(Records are Sorted by Township, Range, and Section)

LOG ID:

000371

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

RANGE

SECTION

ELEVATION:

879FT

DRILL DEPTH:

230FT

61N

15W

20

UTM X

UTM Y

DEPTH TO BED:

533,887.67

4,435,865.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID:

026949

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

RANGE

SECTION

ELEVATION:

837FT

DRILL DEPTH:

30FT

61N

17W

12

UTM X

UTM Y

DEPTH TO BED:

25FT

520,584.65

4,439,315.36

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: CP-12

S.W.L. (AFTER CASING):

LOG ID:

020293

WELL TYPE

Oil Well

DRILL DATE:

1961/08/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

895FT

DRILL DEPTH:

1,020FT

62N

14W

1

UTM X

UTM Y

DEPTH TO BED:

205FT

550,518.51

4,450,140.22

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: GREGORY #1, "CORE HOLE 4A", POOR SAMPLES 500-700'.

S.W.L. (AFTER CASING):

LOG ID:

020295

WELL TYPE

Oil Well

DRILL DATE:

1961/09/22

TOWNSHIP

RANGE

SECTION

ELEVATION:

867FT

DRILL DEPTH:

630FT

62N

14W

13

UTM X

UTM Y

DEPTH TO BED:

50FT

549,450.53

4,447,943.18

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DRAPER #1, "COREHOLE 4C"

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010790

WELL TYPE
Community Public Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 933FT
DRILL DEPTH: 210FT 62N 15W 3
DEPTH TO BED: 190FT UTM X UTM Y
536,729.52 4,450,546.91
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: AT NORTH SEWAGE DISPOSAL PLANT
S.W.L. (AFTER CASING):

LOG ID:
000100

WELL TYPE
Community Public Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 972FT
DRILL DEPTH: 1,290FT 62N 15W 4
DEPTH TO BED: 170FT UTM X UTM Y
535,515.53 4,450,073.87
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DRILLER'S LOG ONLY
S.W.L. (AFTER CASING):

LOG ID:
000375

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 982FT
DRILL DEPTH: 305FT 62N 15W 5
DEPTH TO BED: 190FT UTM X UTM Y
534,106.52 4,451,413.84
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DRILLER'S LOG ONLY; 1.5 MI NW OF O.K. DEPOT
S.W.L. (AFTER CASING):

LOG ID:
000366

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 945FT
DRILL DEPTH: 277FT 62N 15W 6
DEPTH TO BED: 103FT UTM X UTM Y
532,625.53 4,450,404.79
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DRILLER'S LOG ONLY
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
000369

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	942FT
<u>DRILL DEPTH:</u>	298FT	62N	15W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	160FT				532,225.53	4,450,834.78
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	DRILLER'S LOG ONLY			

LOG ID:
000370

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	935FT
<u>DRILL DEPTH:</u>	165FT	62N	15W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				532,225.53	4,449,972.77
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	DRILLER'S LOG ONLY			

LOG ID:
000373

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	915FT
<u>DRILL DEPTH:</u>	177FT	62N	15W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				532,225.53	4,450,404.77
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	DRILLER'S LOG ONLY; 1 MI S OF HOLE #1			

LOG ID:
000368

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	899FT
<u>DRILL DEPTH:</u>	144FT	62N	15W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				533,418.54	4,449,136.80
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	DRILLER'S LOG ONLY			

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023778

WELL TYPE
Oil Well

DRILL DATE: _____ TOWNSHIP RANGE SECTION ELEVATION: 921FT
DRILL DEPTH: 505FT 63N 13W 32
DEPTH TO BED: 135FT UTM X UTM Y
553,715.49 4,451,981.30
ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: NEAR ADAIR CITY LIMITS - OIL & GAS TEST
S.W.L. (AFTER CASING): _____

LOG ID:
028025

WELL TYPE
Oil Well

DRILL DATE: _____ TOWNSHIP RANGE SECTION ELEVATION: 920FT
DRILL DEPTH: 360FT 63N 13W 32
DEPTH TO BED: 250FT UTM X UTM Y
553,615.48 4,453,300.31
ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: OIL TEST - #1 VIRL GARLOCK
S.W.L. (AFTER CASING): _____

LOG ID:
006152

WELL TYPE
Oil Well

DRILL DATE: 1940/06/01 TOWNSHIP RANGE SECTION ELEVATION: 962FT
DRILL DEPTH: 1,250FT 63N 14W 8
DEPTH TO BED: 210FT UTM X UTM Y
543,997.52 4,458,847.17
ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: OIL & GAS - #1 & 2 H.W. CLARK; 0-200' #1, WELL LOST, 200-TD #2.
S.W.L. (AFTER CASING): 165

LOG ID:
000374

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: _____ TOWNSHIP RANGE SECTION ELEVATION: 889FT
DRILL DEPTH: 203FT 63N 15W 31
DEPTH TO BED: 75FT UTM X UTM Y
531,982.51 4,452,201.78
ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: DRILLER'S LOG ONLY
S.W.L. (AFTER CASING): _____

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
011509

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1950/10/01 TOWNSHIP 63N RANGE 15W SECTION 4 ELEVATION: 986FT

DRILL DEPTH: 760FT

DEPTH TO BED: 230FT UTM X 536,196.56 UTM Y 4,460,898.97
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: NORTH OF KIRKSVILLE - "WELL ABANDONED"

S.W.L. (AFTER CASING):

LOG ID:
011643

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1951/01/01 TOWNSHIP 63N RANGE 15W SECTION 9 ELEVATION: 946FT

DRILL DEPTH: 250FT

DEPTH TO BED: 200FT UTM X 535,599.53 UTM Y 4,459,504.94
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 6 MI N OF KIRKSVILLE

S.W.L. (AFTER CASING):

LOG ID:
010343

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1948/00/00 TOWNSHIP 63N RANGE 16W SECTION 25 ELEVATION: 835FT

DRILL DEPTH: 80FT

DEPTH TO BED: 25FT UTM X 530,389.50 UTM Y 4,453,581.74
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: COAL PROSPECT

S.W.L. (AFTER CASING):

LOG ID:
010344

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1948/07/01 TOWNSHIP 63N RANGE 16W SECTION 25 ELEVATION: 860FT

DRILL DEPTH: 135FT

DEPTH TO BED: 95FT UTM X 530,590.49 UTM Y 4,454,371.76
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: COAL PROSPECT

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
001724

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 837FT
DRILL DEPTH: 90FT 63N 16W 8
DEPTH TO BED: 15FT UTM X UTM Y
523,676.54 4,459,185.57
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DRILLERS LOG ONLY - SHAFT #7 - FROM JAMES STROUP OF
S.W.L. (AFTER CASING): CANNELSVILLE

LOG ID:
000446

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 764FT
DRILL DEPTH: 88FT 63N 16W 9
DEPTH TO BED: 32FT UTM X UTM Y
525,815.53 4,458,672.64
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DRILLER'S LOG ONLY - NEAR CONNELLSVILLE, "IN RIVER
S.W.L. (AFTER CASING): BOTTOM"

LOG ID:
000448

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 764FT
DRILL DEPTH: 300FT 63N 16W 9
DEPTH TO BED: 110FT UTM X UTM Y
525,815.53 4,458,672.64
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DRILLER'S LOG ONLY
S.W.L. (AFTER CASING):

LOG ID:
027954

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 940FT
DRILL DEPTH: 300FT 63N 17W 2
DEPTH TO BED: 50FT UTM X UTM Y
519,172.54 4,460,342.43
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: COAL PROSPECT
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
001723

WELL TYPE
Private Well

DRILL DATE: 1897// TOWNSHIP 63N RANGE 17W SECTION 3 ELEVATION: 822FT
DRILL DEPTH: 295FT UTM X 517,902.52 UTM Y 4,460,035.38
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DRILLER'S LOG ? ONLY
S.W.L. (AFTER CASING):

LOG ID:
027955

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 63N RANGE 17W SECTION 31 ELEVATION: 1,000FT
DRILL DEPTH: 360FT UTM X 512,455.49 UTM Y 4,451,504.16
DEPTH TO BED: 75FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: COAL PROSPECT
S.W.L. (AFTER CASING):

LOG ID:
020612

WELL TYPE
Oil Well

DRILL DATE: 1961/00/00 TOWNSHIP 64N RANGE 14W SECTION 21 ELEVATION: 968FT
DRILL DEPTH: 1,135FT UTM X 544,332.62 UTM Y 4,464,695.22
DEPTH TO BED: 250FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: CRAGG #1, POOR SAMPLES
S.W.L. (AFTER CASING):

LOG ID:
006272

WELL TYPE
Oil Well

DRILL DATE: 1940/08/17 TOWNSHIP 64N RANGE 15W SECTION 31 ELEVATION: 794FT
DRILL DEPTH: 1,165FT UTM X 531,791.58 UTM Y 4,462,260.84
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: JOHNSON - CAPPS #1 LEASE
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021816

WELL TYPE
Oil Well

DRILL DATE: 1963/08/21 TOWNSHIP 64N RANGE 16W SECTION 29 ELEVATION: 876FT

DRILL DEPTH: 1,515FT

DEPTH TO BED: 300FT UTM X 524,315.59 UTM Y 4,463,551.61
ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
027949

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 64N RANGE 17W SECTION 20 ELEVATION: 1,000FT

DRILL DEPTH: 300FT

DEPTH TO BED: 80FT UTM X 514,542.55 UTM Y 4,465,004.27
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: K-21 LEASE

S.W.L. (AFTER CASING):

LOG ID:
027951

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 64N RANGE 17W SECTION 31 ELEVATION: 850FT

DRILL DEPTH: 200FT

DEPTH TO BED: 60FT UTM X 512,981.51 UTM Y 4,461,770.21
ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
005766

WELL TYPE
Oil Well

DRILL DATE: 1939/11/01 TOWNSHIP 64N RANGE 17W SECTION 33 ELEVATION: 966FT

DRILL DEPTH: 1,520FT

DEPTH TO BED: 70FT UTM X 515,943.53 UTM Y 4,461,957.32
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: J.A. COOLEY #1

S.W.L. (AFTER CASING):

ADAIR